



**Factory Service  
and Maintenance  
call +45 40 343 676**

We will inform you of the nearest authorized SPX Service Centre for service and maintenance of your plate heat exchangers.

## **Important**

Study instruction manual prior to operate or servicing this APV heat exchanger.

Use of other than **genuine** APV heat exchanger gaskets could affect performance and operation of this unit.

Warranty and lifetime of this equipment may be affected.

**Do not remove this label!**

İSKELE ANA MAKİNE  
TATLI SU KULERİ

SPX®

>APV®

BJLR CPN 1220666-1 TP 9 BAR

SPX Flow Technology Danmark A/S  
DK-6000 Kolding  
Tel.: +45 70 278 444  
Telefax: +45 70 278 445  
www.spxi.com

Type/Year	0030	2012
Serial no.	506848	
Drawing no.	2050	0193-2
Rated capacity	KV	2298
Rated flow surface	MA	63.6
Working pressure	Bar	9.0
Rated pressure	Bar	9.0
Rated pressure	Bar	9.0
Rated flow	42.7 / 48.9	
Working temp.	35 / 0	

BJLR CPN 1220666-1  
TP 9 BAR

**IMPORTANT**  
The instructions in the  
instruction manual are to  
be strictly followed during  
installation and operation.



M.S.Y  
TEDARİKÇİ FIRMA



İSTANBUL DENİZCİLİK GEMİ İNŞAA SAN. VE TİC. A.Ş.

Sıra No	M169
Nato Stok Nu	22-629-2791
Parça Nu	30500032
Dağıtım Birimi	AD
Miktar	14
Raf Ömrü Kodu	J
Üretici Firma Kodu	38GB3
Üretici Adı	SPY FLOW TECHNOLOGY
Malzeme Adı	Cor
Sistem / Cihaz	495

3EJ. TAHRIK  
DİZELİ KULELİ  
PLAKA ÇANTISI

22-629-2791

611-16-04

14